

SAFETY DATA SHEET

CARBOBEAD HTM LD

Section 1. Identification : CARBOBEAD HTM LD **GHS product identifier** Product category(ies) : General Industrial. Other means of identification : Ceramic Media; Semi-Crystalline Alumina Silicate; Sintered Kaolinite. **Product type** : Solid. Relevant identified uses of the substance or mixture and uses advised against Various industrial and manufacturing purposes. Supplier's details : CARBO Ceramics Inc. 5050 Westway Park Blvd, Suite 150 Houston, Texas 77041, USA 1-800-551-3247 **Emergency telephone number** : For Chemical Emergency (with hours of operation) Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Section 2. Hazards identification **OSHA/HCS** status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. Classification of the substance : Not classified. or mixture **GHS** label elements Signal word : No signal word. **Hazard statements** : No known significant effects or critical hazards. **Precautionary statements** Prevention : Not applicable. Response : Not applicable. Storage : Not applicable. Disposal : Not applicable. Hazards not otherwise : None known. classified Section 3. Composition/information on ingredients : Article. Substance/mixture CAS number/other identifiers

Ingredient name%CAS numberCeramic materials and wares, chemicals95 - 10066402-68-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

CARBOBEAD HTM LD	
Section 4. First aid measure	s
Description of necessary first aid	measures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effec	ts, acute and delayed
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: No specific data.
Inhalation	: No specific data.

Indication of immediat	a madical attention an	d chacial traatmant	nooded if personal
Indication of immediat	е терисагаценион ан	u special treatment	needed. If necessary

: No specific data.

: No specific data.

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Skin contact

Ingestion

Section 5. Fire-fighting mea	sures
Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire-fighters Special protective equipment for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Section 6. Accidental releas	e measures
Personal precautions, protective	equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

CARBOBEAD HTM LD	
Section 6. Accidental release	se measures
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for cont	ainment and cleaning up
Small spill	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
Section 7. Handling and sto	prage
Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits		
Ceramic materials and wares	, chemicals	None.		
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.			
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			
Individual protection measure	<u>s</u>			
Hygiene measures	smoking and using the lavatory and at t should be used to remove potentially co	ghly after handling chemical products, before eating, he end of the working period. Appropriate techniques ontaminated clothing. Wash contaminated clothing ations and safety showers are close to the workstation		
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.			
Skin protection				
Hand protection		omplying with an approved standard should be worn at acts if a risk assessment indicates this is necessary.		
Body protection		body should be selected based on the task being nould be approved by a specialist before handling this		

3/8

CARBOBEAD HTM LD	
Section 8. Exposure controls	/personal protection
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on
Other skin protection	the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate
	standard or certification. Respirators must be used according to a respiratory protection
	program to ensure proper fitting, training, and other important aspects of use.
Section 9. Physical and chen	hical properties
<u>Appearance</u>	
Physical state	: Solid. [Solid spheres.]
Color	: Light gray to light tan.
Odor	: Odorless.
Odor threshold	: Not applicable.
рН	: Not applicable.
Melting point	: 2204.5°C (4000.1°F)
Boiling point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive	: Not available.
(flammable) limits	
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 2.7
Solubility	: Not available.
Solubility in water	: Not applicable.
Partition coefficient: n-octanol/	: Not available.
water	
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.
Section 10. Stability and rea	
Reactivity	: Not considered to be reactive.
-	
Chemical stability	: The product is stable.
Possibility of hazardous	: Under normal conditions of storage and use, hazardous reactions will not occur.
reactions	
Conditions to avoid	: No specific data.
Incompatible materials	: Strong oxidizer
Userada	
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Section 11. Toxicological inf	ormation
Information on toxicological effe	cts
Acute toxicity	····
Not available.	
Irritation/Corrosion	
Not available.	
Sensitization	
Not available.	
Mutagenicity	
Not available.	
<u>Carcinogenicity</u>	
Not available.	

CARBOBEAD-LT			
Section 11. Toxicological infor	mation		
Classification			
Product/ingredient name	OSHA	IARC	NTP
Ceramic materials and wares,	-	3	-
chemicals			
Reproductive toxicity			
Not available.			
<u>Teratogenicity</u>			
Not available.			
Specific target organ toxicity (sing	e exposure)		
Not available.			
Specific target organ toxicity (repe	ated exposu	ire)	
Not available.			
Aspiration hazard			
Not available.			
Information on the likely routes :	Not availal	ole.	
of exposure			
Potential acute health effects			
Eye contact :	No known	significant e	effects or critical hazards.
Inhalation	No known	significant e	effects or critical hazards.
Skin contact :	No known	significant e	effects or critical hazards.
Ingestion	No known	significant e	effects or critical hazards.
Symptoms related to the physical, o	hemical and	l toxicologio	cal characteristics
	No specific		
-	No specific		
Skin contact :	No specific		
Ingestion	No specific		
Delayed and immediate effects and	l also chroni	c effects fro	om short and long term exposure
Short term exposure			
Potential immediate effects :	Not availa	ble.	
	Not availa		
Long term exposure			
Potential immediate effects :	Not availa	ble.	
Potential delayed effects :	Not availa	ble.	
Potential chronic health effects			
Not available.			
General :	No known	significant	effects or critical hazards.
Carcinogenicity		-	effects or critical hazards.
Mutagenicity	No known	significant	effects or critical hazards.
Teratogenicity			effects or critical hazards.
	No known	significant e	effects or critical hazards.
Fertility effects	No known	significant e	effects or critical hazards.
Numerical measures of toxicity			

Numerical measures of toxicity

Acute toxicity estimates

N/A

CARBOBEAD HTM LD	
------------------	--

Section 12. Ecological information

<u>Toxicity</u>

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information					
	DOT Classification	TDG Classification	Mexico Classification	IMDG	ΙΑΤΑ
UN number	Not available.	Not available.	Not available.	Not available.	Not available.
UN proper shipping name	Not available.	Not available.	Not available.	Not available.	Not available.
Transport hazard class(es)	Not available.	Not available.	Not available.	Not available.	Not available.
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to: Not available.Annex II of MARPOL and the IBCCode

Date of issue/Date of revision

CARBOBEAD HTM LD	
Section 15. Regulatory info	rmation
U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Air Act Section 112(b)	: Not listed
Hazardous Air Pollutants	
(HAPs)	
Clean Air Act Section 602 Class	: Not listed
I Substances	
Clean Air Act Section 602 Class	: Not listed
II Substances	
DEA List I Chemicals (Precursor	: Not listed
Chemicals)	
DEA List II Chemicals (Essential	: Not listed
Chemicals)	
SARA 302/304	
Composition/information on i	ingreaients
No products were found.	
SARA 304 RQ	: Not applicable.
SARA 311/312	
Classification	: Not applicable.
Composition/information on i	ingreaients
No products were found.	
State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: None of the components are listed.
Pennsylvania	: None of the components are listed.
<u>California Prop. 65</u>	
-	quire a Safe Harbor warning under California Prop. 65.
International regulations	
	List Schedules I, II & III Chemicals
Not listed.	
Montreal Protocol	
Not listed.	
Stockholm Convention on Persi Not listed.	<u>istent Organic Pollutants</u>
Rotterdam Convention on Prior	r Informed Concert (DIC)
Not listed.	intormed consent (PIC)
UNECE Aarhus Protocol on POP	Ds and Hoavy Motals
Not listed.	s and heavy wetas
Inventory list	
Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS): Not determined.
sahan.	Japan inventory (ISHL): All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: All components are listed or exempted.
United States	: All components are listed or exempted.
Viet Nam	: Not determined.

CARBOBEAD HTM LD

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS[®] ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS[®] ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS[®] ratings are to be used with a fully implemented HMIS[®] program. HMIS[®] is a registered trademark and service mark of the American Coatings Association, Inc. The customer is responsible for determining the PPE code for this material. For more information on HMIS[®] Personal Protective Equipment (PPE) codes, consult the HMIS[®] Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety. Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

	Classification	Justification
Not classified.		
History		
Date of printing	: 10/22/2019	
Date of issue/Date of revision	: 12/28/2022	
Date of previous issue	: 10/14/2019	
Version	: 3	
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Lab IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficien MARPOL = International Convention for the Prevention of P modified by the Protocol of 1978. ("Marpol" = marine pollu N/A = Not available SGG = Segregation Group UN = United Nations 	nt ollution From Ships, 1973 as
References	: Not available.	

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.