

# **SAFETY DATA SHEET**

# CARBOBEAD HTM MAXLD

Section 1. Identification				
GHS product identifier	: CARBOBEAD HTM MAXLD			
Product category(ies) Other means of identification	: General Industrial.			
	: Ceramic Media; Semi-Crystalline Alumina Silicate; Sintered Kaolinite.			
Product type	: Solid.			
	ubstance or mixture and uses advised against			
Various industrial and manufactu	nng purposes.			
Supplier's details	: CARBO Ceramics Inc. 5050 Westway Park Blvd, Suite 150 Houston, Texas 77041, USA 1-800-551-3247			
Emergency telephone number	: For Chemical Emergency			
(with hours of operation)	Spill, Leak, Fire, Exposure, or Accident			
	Call CHEMTREC Day or Night			
	Within USA and Canada: 1-800-424-9300			
Section 2. Hazards identification	ation			
OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.			
Classification of the substance or mixture	: Not classified.			
GHS label elements				
Signal word	: No signal word.			
Hazard statements	: No known significant effects or critical hazards.			
Precautionary statements				
Prevention	: Not applicable.			
Response	: Not applicable.			
Storage	: Not applicable.			
Disposal	: Not applicable.			
Hazards not otherwise classified	: None known.			
Section 3. Composition/info	ormation on ingredients			
Substance/mixture	: Article.			
CAS number/other identifiers				

Ingredient name	%	CAS number
Ceramic materials and wares, chemicals	95 - 100	66402-68-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

· · ·	•			
Sect	$0\mathbf{n}4$	First ai	6	measures
			<b></b>	in casar co

# Description of necessary first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.</li> <li>Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/ef	fects, acute and delayed			
Potential acute health effect	<u>is</u>			
Eye contact	: No known significant effects or critical hazards.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			
Over-exposure signs/sympto	<u>ms</u>			
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			
Indication of immediate medi	cal attention and special treatment needed, if necessary			
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inheled			
Specific treatments	have been ingested or inhaled.			
Specific treatments	: No specific treatment.			
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.			

# See toxicological information (Section 11)

Section 5. Fire-fighting mea	sures
Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Use an extinguishing agent suitable for the surrounding fire.</li><li>None known.</li></ul>
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire-fighters Special protective equipment for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>
Section 6. Accidental releas	e measures
Personal precautions, protective	equipment and emergency procedures
For non-emergency personnel For emergency responders	<ul> <li>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</li> <li>If specialized clothing is required to deal with the spillage, take note of any information in</li> </ul>
for emergency responders	Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

CARBOBEAD HTM MAXLD					
Section 6. Accidental release	se measures				
Environmental precautions	<ul> <li>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</li> </ul>				
Methods and materials for cont	ainment and cleaning up				
Small spill	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.				
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.				
Section 7. Handling and sto	prage				
Precautions for safe handling					
Protective measures	: Put on appropriate personal protective equipment (see Section 8).				
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.				
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.				

Section 8. Exposure controls/personal protection

**Control parameters** 

# **Occupational exposure limits**

Ingredient name		Exposure limits		
Ceramic materials and wares, chemicals		None.		
Appropriate engineering controls	: Good general ventilation should be suf contaminants.	fficient to control worker exposure to airborne		
Environmental exposure controls	comply with the requirements of envir scrubbers, filters or engineering modif	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Individual protection measure	<u>s</u>			
Hygiene measures	smoking and using the lavatory and at should be used to remove potentially	ughly after handling chemical products, before eating, the end of the working period. Appropriate techniques contaminated clothing. Wash contaminated clothing stations and safety showers are close to the workstation		
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.			
Skin protection				
Hand protection		complying with an approved standard should be worn at ducts if a risk assessment indicates this is necessary.		
Body protection		body should be selected based on the task being should be approved by a specialist before handling this		

CARBOBEAD HTM MAXLD	
Section 8. Exposure controls	/personal protection
Other skin protection Respiratory protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> <li>Based on the hazard and potential for exposure, select a respirator that meets the appropriate</li> </ul>
	standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Section 9. Physical and chem	nical properties
Appearance	
Physical state	: Solid. [Solid spheres.]
Color	: Light gray to light tan.
Odor	: Odorless.
Odor threshold	: Not applicable.
рН	: Not applicable.
Melting point	: 2204.5°C (4000.1°F)
Boiling point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive	: Not available.
(flammable) limits	
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 2.8
Solubility	: Not available.
Solubility in water	: Not applicable.
Partition coefficient: n-octanol/	: Not available.
water Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.
Section 10. Stability and rea	ctivity
Reactivity	: Not considered to be reactive.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Strong oxidizer
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Section 11. Toxicological inf	
Information on toxicological effe	<u>cts</u>
Acute toxicity	
Not available.	
Irritation/Corrosion	
Not available.	
<u>Sensitization</u>	
Not available.	
Mutagenicity	
Not available.	
Carcinogenicity	
Not available.	

:4

4/8

CARBOBEAD HTM MAXLD				
Section 11. Toxicological info	mation			
<u>Classification</u>				
Product/ingredient name	OSHA	IARC	NTP	
Ceramic materials and wares, chemicals	-	3	-	
Reproductive toxicity				
Not available.				
Teratogenicity				
Not available.				
Specific target organ toxicity (sing	le exposure)			
Not available.				
Specific target organ toxicity (rep	eated exposi	ure)		
Not available.				
Aspiration hazard				
Not available.				
Information on the likely routes	: Not availa	ble.		
of exposure				
Potential acute health effects				
Eye contact	: No known	significant	effects or critical hazards.	
Inhalation	: No known	significant	effects or critical hazards.	
Skin contact	: No known	significant	effects or critical hazards.	
Ingestion	: No known	significant	effects or critical hazards.	
Symptoms related to the physical,	chemical and	d toxicologi	cal characteristics	
	: No specifi			
-	: No specifi			
	: No specifi			
	: No specifi			
ingestion . No specific data.				
Delayed and immediate effects an	d also chron	ic effects fr	om short and long term exposure	
Short term exposure				
Potential immediate effects				
•	Not availa	ble.		
Long term exposure				
Potential immediate effects				
···· ··· ··· · · · · · · · · · · · · ·	Not availa	ble.		
Potential chronic health effects				
Not available.	. No lucas	-	offects or critical becards	
		-	effects or critical hazards.	
Carcinogenicity Mutagonicity		-	effects or critical hazards.	
Mutagenicity		-	effects or critical hazards. effects or critical hazards.	
Teratogenicity		•		
-		-	effects or critical hazards. effects or critical hazards.	
Fertility effects	• INU KHUWN	SIGNINGAN		
Numerical measures of toxicity				

Acute toxicity estimates

N/A

<b></b>	
CARBOBEAD HTM MAXLD	
Section 12. Ecological info	rmation
<u>Toxicity</u>	
Not available.	
Persistence and degradability	
Not available.	
<b>Bioaccumulative potential</b>	
Not available.	
Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.
Section 13. Disposal consi	derations
Disposal methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material

Section 14. Transport information						
	DOT Classification	TDG Classification	Mexico Classification	IMDG	ΙΑΤΑ	
UN number	Not available.	Not available.	Not available.	Not available.	Not available.	
UN proper shipping name	Not available.	Not available.	Not available.	Not available.	Not available.	
Transport hazard class(es)	Not available.	Not available.	Not available.	Not available.	Not available.	
Packing group	-	-	-	-	-	
Environmental hazards	No.	No.	No.	No.	No.	

waterways, drains and sewers.

Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil,

Transport in bulk according to: Not available.Annex II of MARPOL and the IBCCode

CARBOBEAD HTM MAXLD	
Section 15. Regulatory infor	mation
U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined
0.3. rederal regulations	. ISCA o(a) CDK Exempty Partial exemption. Not determined
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
<u>SARA 302/304</u>	
Composition/information on i	ngredients
No products were found.	
SARA 304 RQ	: Not applicable.
SARA 311/312	
Classification	: Not applicable.
Composition/information on i	ngredients
No products were found.	
State regulations	. None of the components are listed
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	None of the components are listed.
Pennsylvania	: None of the components are listed.
California Prop. 65	uire a Safe Harbor warning under California Prop. 65.
International regulations	ulle a Sale Harbor warning under California Prop. 65.
_	List Schedules I, II & III Chemicals
Not listed.	
Montreal Protocol	
Not listed.	
Stockholm Convention on Persi	stent Organic Pollutants
Not listed.	
<b>Rotterdam Convention on Prior</b>	: Informed Consent (PIC)
Not listed.	
<b>UNECE Aarhus Protocol on POP</b>	s and Heavy Metals
Not listed.	
Inventory list	
Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS): Not determined.
	Japan inventory (ISHL): All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: All components are listed or exempted.
United States	: All components are listed or exempted.
Viet Nam	: Not determined.

### Section 16. Other information

#### Hazardous Material Information System (U.S.A.)



Caution: HMIS<sup>®</sup> ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS<sup>®</sup> ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS<sup>®</sup> ratings are to be used with a fully implemented HMIS<sup>®</sup> program. HMIS<sup>®</sup> is a registered trademark and service mark of the American Coatings Association, Inc. The customer is responsible for determining the PPE code for this material. For more information on HMIS<sup>®</sup> Personal Protective Equipment (PPE) codes, consult the HMIS<sup>®</sup> Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety. Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

	Classification	Justification		
Not classified.				
<u>History</u>				
Date of printing	: 10/22/2019			
Date of issue/Date of revision	: 12/28/2022			
Date of previous issue	: 10/14/2019			
Version	: 4			
Version: 4Key to abbreviations: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations				
References	: Not available.			

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.