SAFETY DATA SHEET

CARBOBOND KRYPTOSPHERE XT

CARBO

Continue 1. Informatification	
Section 1. Identification	
GHS product identifier	: CARBOBOND KRYPTOSPHERE XT
Product category(ies)	: Oil and gas.
Other means of identification	: Resin-Coated Ceramic Proppant; Semi-Crystalline Alumina Silicate; Sintered Kaolinite.
Product type	: Solid.
Relevant identified uses of the s	ubstance or mixture and uses advised against
Proppant for oil and natural gas v	vell hydraulic fracturing.
Supplier's details	: CARBO Ceramics Inc.
	5050 Westway Park Blvd, Suite 150
	Houston, Texas 77041, USA 1-800-551-3247
	1-800-551-5247
Emergency telephone number	: For Chemical Emergency
(with hours of operation)	Spill, Leak, Fire, Exposure, or Accident
	Call CHEMTREC Day or Night
	Within USA and Canada: 1-800-424-9300
Section 2. Hazards identification	ation
OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance	: Not classified.
or mixture	
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	. Natanniaahla
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal Hazards not otherwise	: Not applicable. : None known.
nazarus not otherwise	. NOTE KTOWIT.

classified

Section 3. Composition/information on ingredients

Substance/mixture

: Article.

CAS number/other identifiers

Ingredient name	%	CAS number
Ceramic materials and wares, chemicals	≥90	66402-68-4
Phenol formaldehyde resin.	≤5	9003-35-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effect	<u>5</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sympto	<u>ms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate media	al attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities
	have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire. Use dry chemical, CO ₂ , water spray (fog) or foam.	
Unsuitable extinguishing media	: None known.	
Specific hazards arising from the chemical	: Product may ignite if exposed to open flame or other ignition sources.	
Hazardous thermal decomposition products	 Decomposition products may include the following materials: carbon dioxide 	
	carbon monoxide	
	metal oxide/oxides	
Special protective actions for	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a	
fire-fighters	fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. 	

C C	A	
Soction 6	Accidenta	I ralazca mazcurac
Jection 0.	Accidenta	release measures

Section 6. Accidental releas	
Personal precautions, protective	equipment and emergency procedures
For non-emergency personnel For emergency responders	 No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for conta	inment and cleaning up
Small spill	 Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
Section 7. Handling and sto	rage
Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Ingredient name	Exposure limits
Ceramic materials and wares, chemicals	None.
Phenol formaldehyde resin.	None.

Appropriate engineering controls	 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation

location.

CARBOBOND KRYPTOSPHERE XT		
Section 8. Exposure cont	rols/personal protection	
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.	
Skin protection		
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.	
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. 	
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.	

Section 9. Physical and chemical properties

Appearance	
Physical state	: Solid. [Solid spheres.]
Color	: Pale green to pale yellow.
Odor	: Odorless.
Odor threshold	: Not applicable.
рН	: Not applicable.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive	: Not available.
(flammable) limits	
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 2.7
Solubility	: Not available.
Solubility in water	: Not applicable.
Partition coefficient: n-octanol/	: <2.3
water Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.
, <i>,</i>	
Section 10. Stability and rea	ctivity
Reactivity	: Not considered to be reactive.
Chemical stability	: The product is stable.
Dessibility of beneviation	
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
reactions	
Conditions to avoid	: Avoid exposure to flame or other ignition sources.
Incompatible materials	: Strong oxidizer
-	-
Hazardous decomposition	: Thermal decomposition may produce oxides of carbon, oxides of nitrogen, ammonia, aldehydes,
products	phenol or other materials.

Section 11. Toxicological information

Section 11. Toxicological info	rmation				
Information on toxicological effect	<u>:s</u>				
Acute toxicity					
Not available.	-				
Irritation/Corrosion					
Not available.					
Sensitization					
Not available.					
Mutagenicity					
Not available.					
Carcinogenicity					
Not available.					
<u>Classification</u>					
Product/ingredient name	OSHA	IARC	NTP		
Ceramic materials and wares, chemicals	-	3	-		
Reproductive toxicity					
Not available.					
Teratogenicity					
Not available.					
Specific target organ toxicity (sing		١			
Not available.	Sie exposule	L			
Specific target organ toxicity (rep	eated exnos	ure)			
Not available.		<u>ure</u>			
Aspiration hazard					
Not available.					
Information on the likely routes	: Not availa	ble.			
of exposure					
Potential acute health effects					
Eye contact	: No known significant effects or critical hazards.				
Inhalation	: No known significant effects or critical hazards.				
Skin contact	: No known significant effects or critical hazards.				
Ingestion	: No known significant effects or critical hazards.				
Symptoms related to the physical,	chemical an	d toxicologi	ical characteristics		
	: No specifi	-			
-	: No specifi				
	: No specific data.				
	: No specific data.				
-					
Delayed and immediate effects an Short term exposure	d also chron	ic effects fro	om short and long term exposure		
· · · · · · · · · · · · · · · · · · ·	: Not availa	hle			
	: Not availa				
Long term exposure	• NUL availa				
Potential delayed effects : Not available. Potential chronic health effects :					
Not available.					
	: No knowr	significant	effects or critical hazards.		
		-	effects or critical hazards.		
• •		-	effects or critical hazards.		
		-			
-					
,					

Section 11. Toxicological information

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
CARBOBOND KRYPTOSPHERE LD	<2.3	-	low

Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects	: No known significant effects or critical hazards.
Section 13. Disposal con	nsiderations
Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information					
	DOT Classification	TDG Classification	Mexico Classification	IMDG	ΙΑΤΑ
UN number	Not available.	Not available.	Not available.	Not available.	Not available.
UN proper shipping name	Not available.	Not available.	Not available.	Not available.	Not available.
Transport hazard class(es)	Not available.	Not available.	Not available.	Not available.	Not available.
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision	: 4/11/2022	Date of previous issue	: 1/20/2022	Version : 1	6/8
--------------------------------	-------------	------------------------	-------------	-------------	-----

CARBOBOND	KRYPTOSPHER	≀E XT
-----------	-------------	-------

Section 14. Transport information

Transport in bulk according to : Not available. IMO instruments

IMO instruments	
Section 15. Regulatory infor	mation
U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class	: Not listed
II Substances DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential	: Not listed
Chemicals)	
<u>SARA 302/304</u>	
Composition/information on i	ingredients
No products were found.	
SARA 304 RQ	: Not applicable.
<u>SARA 311/312</u>	
Classification	: Not applicable.
Composition/information on i	<u>ngredients</u>
No products were found.	
State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: None of the components are listed.
Pennsylvania	: None of the components are listed.
California Prop. 65	
	uire a Safe Harbor warning under California Prop. 65.
International regulations	
Not listed.	List Schedules I, II & III Chemicals
Montreal Protocol	
Not listed.	
Stockholm Convention on Persi	stent Organic Pollutants
Not listed.	<u>stent organic ronatants</u>
Rotterdam Convention on Prior	(Informed Consent (PIC)
Not listed.	
UNECE Aarhus Protocol on POP	s and Heavy Metals
Not listed.	
Inventory list	
Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (CSCL): Not determined.
	Japan inventory (ISHL): Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan Thailand	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: All components are listed or exempted.

:1

CARBOBOND KRYPTOSPH	CARBOBOND KRYPTOSPHERE XT		
Section 15. Regulator	y information		
United States	: All components are listed or exempted.		
Viet Nam	: Not determined.		
Section 16. Other information			
Hazardous Material Info	mation System (U.S.A.)		
Health	/ 0		
Flammability	0		
Physical hazards	0		

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc. The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

	Classification	Justification	
Not classified.			
<u>History</u>			
Date of printing	: 4/11/2022		
Date of issue/Date of revision	: 4/11/2022		
Date of previous issue	: 1/20/2022		
Version	: 1		
Version: 1Key to abbreviations: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations			
References	: Not available.		
Indicates information that has changed from previously issued version.			

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.