# **SAFETY DATA SHEET**



**KRYPTOAIR** 

Section 1. Identification						
GHS product identifier	: KRYPTOAIR					
Product category(ies)	: Oil and gas.					
Other means of identification	: Resin-Treated Ceramic Proppant; Semi-Cr	ystalline Alumina Silicat	e; Sintered Kaolinite.			
Product type	: Solid.					
	ubstance or mixture and uses advised against					
Proppant for oil and natural gas v	vell hydraulic fracturing.					
Supplier's details	: CARBO Ceramics Inc.					
	575 N. Dairy Ashford Road, Suite 300					
	Houston, Texas 77079, USA					
	1-800-551-3247					
Emergency telephone number	: For Chemical Emergency					
(with hours of operation)	Spill, Leak, Fire, Exposure, or Accident					
	Call CHEMTREC Day or Night					
	Within USA and Canada: 1-800-424-9300					
Section 2. Hazards identific	ation					
OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.					
Classification of the substance or mixture	: Not classified.					
GHS label elements						
Signal word	: No signal word.					
Hazard statements	: No known significant effects or critical has	zards.				
Precautionary statements	C C					
Prevention	: Not applicable.					
Response	: Not applicable.					
Storage	: Not applicable.					
Disposal	: Not applicable.					
Hazards not otherwise	: None known.					
classified	. None klown.					
Section 3. Composition/infe	ormation on ingredients					
Substance/mixture	: Article.					
CAS number/other identifiers						
Ingredient name		%	CAS number			
Ceramic materials and wares, ch	emicals	≥90	66402-68-4			

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Proprietary resin coating

Proprietary surfactant

Proprietary

Proprietary

#### Section 4. First aid measures

Description of necessar	y first aid measures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.</li> </ul>
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/syl	nptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### See toxicological information (Section 11)

Section 5. Fire-fighting mea	sures
Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire. Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Product may ignite if exposed to open flame or other ignition sources.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters Special protective equipment for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

Section 6. Accidental release measures				
Personal precautions, protective	equipment and emergency procedures			
For non-emergency personnel For emergency responders	<ul> <li>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.</li> <li>If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</li> </ul>			
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).			
Methods and materials for conta	inment and cleaning up			
Small spill	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.			
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.			
Section 7. Handling and stor	age			
Precautions for safe handling				
Protective measures	: Put on appropriate personal protective equipment (see Section 8).			
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.			
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.			

# Section 8. Exposure controls/personal protection

#### **Control parameters**

Occupational exposure limits					
Ingredient name	Exposure limits				
Ceramic materials and wares, chemicals	None.				
Proprietary resin coating	None.				
Proprietary surfactant	None.				

Appropriate engineering controls Environmental exposure controls		Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### KRYPTOAIR Section 8. Exposure controls/personal protection **Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Skin protection Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. **Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. **Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

#### Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Solid spheres.]
Color	: Pale yellow.
Odor	: Odorless.
Odor threshold	: Not applicable.
рН	: Not applicable.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive	: Not available.
(flammable) limits	
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.6
Solubility	: Not available.
Solubility in water	: Not applicable.
Partition coefficient: n-octanol/	: Not available.
water Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.
Section 10. Stability and rea	ictivity
Reactivity	: Not considered to be reactive.
Chemical stability	: The product is stable.
Possibility of hazardous	: Under normal conditions of storage and use, hazardous reactions will not occur.
reactions	· Onder normal conditions of storage and use, nazardous reactions will not occur.
reactions	
Conditions to avoid	: No specific data.
Incompatible materials	: Strong oxidizer
Hazardous decomposition	: Thermal decomposition may produce oxides of carbon, oxides of nitrogen, ammonia, aldehydes,
products	phenol or other materials.

## Section 11. Toxicological information

Section 11. Toxicological line	mation		
Information on toxicological effect	<u>s</u>		
Acute toxicity			
Not available.			
Irritation/Corrosion			
Not available.			
Sensitization			
Not available.			
<u>Mutagenicity</u>			
Not available.			
<u>Carcinogenicity</u>			
Not available.			
<u>Classification</u>	1	1	
Product/ingredient name	OSHA	IARC	NTP
Ceramic materials and wares, chemicals	-	3	-
Reproductive toxicity			
Not available.			
<b>Teratogenicity</b>			
Not available.			
Specific target organ toxicity (sing	<u>gle exposure</u>	)	
Not available.			
Specific target organ toxicity (rep	eated expos	<u>ure)</u>	
Not available.			
Aspiration hazard			
Not available.			
Information on the likely routes of exposure	: Not availa	ble.	
Potential acute health effects	N. 1		<i>ff</i> ,
-		-	effects or critical hazards.
		-	effects or critical hazards.
		-	effects or critical hazards.
Ingestion	: NO KNOWN	i significant (	effects or critical hazards.
Symptoms related to the physical,	chemical an	d toxicologi	cal characteristics
Eye contact	: No specifi	c data.	
Inhalation	: No specifi	c data.	
Skin contact	: No specifi	c data.	
Ingestion	: No specifi	c data.	
Delayed and immediate effects and	d also chroni	ic offocts fro	nm short and long term exposure
Short term exposure			
· · · · · · · · · · · · · · · · · · ·	: Not availa	ble.	
	: Not availa		
Long term exposure			
	: Not availa	ble.	
	: Not availa		
Potential chronic health effects			
Not available.			
	: No known	significant	effects or critical hazards.
		-	effects or critical hazards.
		-	effects or critical hazards.
		-	effects or critical hazards.
		-	effects or critical hazards.
-		-	effects or critical hazards.



### Section 11. Toxicological information

#### Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecolog	ical information				
<u>Toxicity</u> Not available.					
Persistence and degra Not available.	adability				
Bioaccumulative pote Not available.	<u>ential</u>				
Mobility in soil Soil/water partition coefficient (K <sub>oc</sub> )	: Not a	vailable.			
Other adverse effects	: No kn	own significant effects	or critical hazards.		
Section 13. Dispos	al considerations				
<ul> <li>Disposal methods</li> <li>The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>					
Section 14. Transp	ort information				
	DOT Classification	TDG Classification	Mexico	IMDG	ΙΑΤΑ

	DOT Classification	TDG Classification	Mexico Classification	IMDG	ΙΑΤΑ
UN number	Not available.	Not available.	Not available.	Not available.	Not available.
UN proper shipping name	Not available.	Not available.	Not available.	Not available.	Not available.
Transport hazard class(es)	Not available.	Not available.	Not available.	Not available.	Not available.
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision

KRYPTOAIR					
Section 14. Transport inform	nation				
Transport in bulk according to Annex II of MARPOL and the IBC Code	: Not availab	le.			
Section 15. Regulatory infor	mation				
U.S. Federal regulations		DR Exempt/Partial exemp	tion: Not determined		
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	: Not listed				
Clean Air Act Section 602 Class I Substances	: Not listed				
Clean Air Act Section 602 Class II Substances	: Not listed				
DEA List I Chemicals (Precursor Chemicals)	: Not listed				
DEA List II Chemicals (Essential Chemicals)	: Not listed				
SARA 302/304 Composition/information on in No products were found.	ngredients				
SARA 304 RQ SARA 311/312	: Not applica	ble.			
Classification <u>Composition/information on i</u>	: Not applicabl ngredients	e.			
No products were found.					
State regulations					
Massachusetts	: None of the	components are listed.			
New York	: None of the	components are listed.			
New Jersey	: None of the	components are listed.			
Pennsylvania	: None of the	components are listed.			
<u>California Prop. 65</u>					
This product does not requ	uire a Safe Harb	or warning under Californi	a Prop. 65.		
International regulations					
Chemical Weapon Convention L Not listed.	<u>ist Schedules I,</u>	II & III Chemicals			
Montreal Protocol					
Not listed.					
Stockholm Convention on Persis Not listed.	stent Organic Po	<u>ollutants</u>			
Rotterdam Convention on Prior	Informed Cons	ent (PIC)			
Not listed.					
UNECE Aarhus Protocol on POPs Not listed.	s allu neavy ivie				
Inventory list					
Australia	: Not determ	ined			
Canada	: Not determ				
China	: Not determ				
Europe	: Not determ				
Japan		itory (ENCS): Not determir	hed		
	Japan inver	tory (ISHL): Not determine			
New Zealand	: Not determ				
Philippines	: Not determ				
Republic of Korea	: Not determ				
Taiwan	: Not determ				
Thailand	: Not determ				
Turkey	: Not determ	ined.			
Date of issue/Date of revision	: 4/15/2020	Date of previous issue	: 1/14/2020	Version :1	7/9

ection 15. Regulator	y information	
United States	: Not determined.	
Viet Nam	: Not determined.	
ection 16. Other info	rmation	
azardous Material Infor	nation System (U.S.A.)	
Health	/ 0	
	/ 0 0	

Caution: HMIS<sup>®</sup> ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc. The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)

Procedure used to derive the classification



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety. Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Classification	Justification
Not classified.	

Not classifica.	
History	
Date of printing	: 4/15/2020
Date of issue/Date of revision	: 4/15/2020
Date of previous issue	: 1/14/2020
Version	: 1
Key to abbreviations	: ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978. ("Marpol" = marine pollution)
	N/A = Not available
	SGG = Segregation Group
	UN = United Nations
References	: Not available.
Indicates information that has	s changed from previously issued version.

ormation that has changed from previously issued version.

#### Notice to reader

Date of issue/Date of revision

#### KRYPTOAIR

#### Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.